



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2012 - December 31, 2012

Filing Confirmation Number: 0005594326

Filing Deadline: January 15, 2013

FRN: 0001699693

Filing Date: 01/09/2013 05:40 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Cross Valliant Cellular Partnership

Brand Names: Sprocket Wireless

PO Box: 9

Street Address:

City: Warner

State: OK

Zip Code: 74469

Contact Name: John C. Ruhl

Contact Phone: (405) 368-7649

Contact Fax:

Contact Email: jcruhl@crosstel.net

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Lukas, Nace, Gutierrez & Sachs, LLP

PO Box:

Street Address: 8300 Greensboro Drive, Suite 1200

City: McLean

State: VA

Contact Name: Pamela Gist
Contact Phone: (703) 584-8665
Contact Fax: (703) 584-8696
Contact Email: pgist@fcclaw.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: <http://www.sprocketwireless.com/devices/hac/>

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Compliant handset models are publicly identified for consumers and audiologists. Compliant models are listed on the company web site, and its retail salespeople are trained to assist with complaint digital wireless phones. Compliant handsets are available for testing in retail locations. Written materials and promotional literature are provided at the point of sale and on the website, addressing the needs of individuals with hearing disabilities. Such consumers are given a 30-day trial period within which to try out digital wireless phones to determine whether they will work properly with their hearing aids.

Methodology for Functionality Levels

PDAs or smartphones generally have advanced features such as expandable memory, enhanced camera, Bluetooth, video, Internet access, touch screen UI, faster processing, email, full QWERTY keypads, and in many cases Windows Office Mobile, to meet the demands of mobile business professionals and consumers.

High Tier Phones have features for demanding users, including Bluetooth, Internet access capability, increased RAM storage or expandable memory, high-resolution color display, enhanced camera and video capability, and music MP3 player functionality. They typically feature a modern, sleek design, often are slider form factor.

Mid Tier Phones may have a camera, Bluetooth, or Internet access capability, but are less likely to offer video, music or media player capability. Design is typically less stylish, tends to be clamshell or flip form factor.

Low Tier Phones offer basic wireless telephone features, may not have a camera, Bluetooth, or Internet access capability, and generally lack such features MP3 players and expandable memory. Typically utilitarian design suitable for customers using voice/text only, tends to be flip or bar form factor.

Report Remarks

Cross Valliant Cellular Partnership does not operate network facilities utilizing GSM, WCDMA, 700 MHz, AWS or LTE air interfaces.

You have reported the following handset model summary information.

Total number of handsets offered: 21

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
CDMA	19	90%	2	10%				21

Handset 1: Motorola DROID RAZR MAXX

Handset Maker

Motorola

Handset Model Name

DROID RAZR MAXX

FCC ID

IHDP56ME1

Air Interfaces/Frequency Bands

700 MHz CDMA
700 MHz LTE
850 MHz CDMA
850 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 12/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 2: Samsung R100 Stunt

Handset Maker

Samsung

Handset Model Name

R100 Stunt

FCC ID

A3LSCHR100

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low tier

Remarks

Handset 3: Samsung R261 Chrono

Handset Maker

Samsung

Handset Model Name

R261 Chrono

FCC ID

A3LSCHR261

Air Interfaces/Frequency Bands

850 MHz CDMA

Dates

This handset model was offered from: 03/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low tier

Remarks

Handset 4: Samsung SCH-R350 FREEFORM**Handset Maker**

Samsung

Handset Model Name**FCC ID**

SCH-R350 FREEFORM

A3LSCHR350

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 06/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid tier

Remarks

Handset 5: Samsung R631 Messenger

Handset Maker

Samsung

Handset Model Name

R631 Messenger

FCC ID

A3LSCHR631

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 06/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid tier

Remarks

Handset 6: Samsung R250 Contour

Handset Maker

Samsung

Handset Model Name

R250 Contour

FCC ID

A3LSCHR250

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low tier

Remarks

Handset 7: LG 100**Handset Maker**

LG

Handset Model Name**FCC ID**

100

BEJLG100C

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low tier

Remarks

Handset 8: LG Wine II Refresh

Handset Maker

LG

Handset Model Name

Wine II Refresh

FCC ID

BEJUN430

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 10/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid tier

Remarks

Handset 9: LG 740 Axis

Handset Maker

LG

Handset Model Name

740 Axis

FCC ID

BEJVS740

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/12 to 06/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 10: LG AN200 SABER**Handset Maker**

LG

Handset Model Name**FCC ID**

AN200 SABER

BEJUN200

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low tier

Remarks

Handset 11: LG LG680 Optimus 2

Handset Maker

LG

Handset Model Name

LG680 Optimus 2

FCC ID

ZNFAS680

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 02/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 12: LG AS855 Ignite

Handset Maker

LG

Handset Model Name

AS855 Ignite

FCC ID

BEJLS855

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 02/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 13: Motorola W845 Quantico**Handset Maker**

Motorola

Handset Model Name**FCC ID**

W845 Quantico

IHDT56KS1

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High tie

Remarks

Handset 14: Motorola Grasp

Handset Maker

Motorola

Handset Model Name

Grasp

FCC ID

IHDT56LC1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 03/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid tier

Remarks

Handset 15: Samsung R720 Admire

Handset Maker

Samsung

Handset Model Name

R720 Admire

FCC ID

A3LSCHR720

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 16: Samsung I500 Galaxy S**Handset Maker**

Samsung

Handset Model Name**FCC ID**

I500 Galaxy S

A3LSCHI500

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 03/12 to 12/12

Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 17: HTC 6275 Desire

Handset Maker

HTC

Handset Model Name

6275 Desire

FCC ID

NM8PB99400

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/12 to 03/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 18: HTC Wildfire 6225

Handset Maker

HTC

Handset Model Name

Wildfire 6225

FCC ID

NM8PD06100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 06/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 19: Research In Motion 8703**Handset Maker**

Research In Motion

Handset Model Name

8703

FCC ID

L6ARBF20CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/12 to 07/12

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Handset 20: SONIM XP3400 Armor

Handset Maker

SONIM

Handset Model Name

XP3400 Armor

FCC ID

WYPC21F007AA

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 03/12 to 12/12

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low tier

Remarks

Handset 21: Alcatel One Touch

Handset Maker

Alcatel

Handset Model Name

One Touch

FCC ID

RAD210

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 05/12 to 12/12

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

PDA

Remarks

Certification

This Report has been certified by:

John C Ruhl Wireless General Manager
01/09/2013 05:40 PM